

EAST Search History**EAST Search History (Prior Art)**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	27	("20020024950" "20020027906" "20030067912" "20030165140" "20040030804" "20050180429" "20090225675" "5511168" "5610905" "5684800" "5959989" "6014380" "6147995" "6154839" "6256314" "6275859" "6304901" "6430621" "6449279" "6553029" "6574240" "6625124" "6640251" "6643267" "6873618" "7469297" "7839802").PN.	US-PGPUB; USPAT	OR	ON	2011/04/28 07:55
L2	89	BAUM near ROBERT	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 07:56
L3	24	L2 and layer adj (two "2") with header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 07:56
L4	2456	726/3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:00
L5	0	L4 and @ad<"20000831" and @pd>"20110110"	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:00
L6	914	713/151.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:00
L7	0	L6 and @ad<"20000831" and @pd>"20110110"	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:00

L8	4081	713/168.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:00
L9	0	L8 and @ad<"20000831" and @pd>"20110110"	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:00
L10	100	705/73.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:00
L11	0	L10 and @ad<"20000831" and @pd>"20110110"	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:00
L12	18646	("layer 2" "data link") same frame header with address with (chag\$4 replac\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:01
L13	332	L12 same authenticat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:01
L14	0	L13 and @ad<"20000831" and @pd>"20110110"	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:01
L15	7	("layer 2" "data link") same frame same header with address with (chag\$4 replac\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:01
L16	0	L15 and @ad<"20000831" and @pd>"20110110"	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:01
L17	10	("layer 2" "data link") same frame same header with address same authenticat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:01
L18	0	L17 and @ad<"20000831" and @pd>"20110110"	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:01
L19	74	("layer 2" "data link") and frame same header with address same authenticat \$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:01
L20	0	L19 and @ad<"20000831" and @pd>"20110110"	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:01

L21	462	("layer 2" "data link") and frame same address same authenticat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:01
L22	0	L21 and @ad<"20000831" and @pd>"20110110"	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:01
L23	23	("layer 2" "data link") and frame same header with (modif\$6 chang\$4 replac \$4) with unique	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:01
L24	0	L23 and @ad<"20000831" and @pd>"20110110"	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:01
L25	53	("layer 2" "data link") with authenticat\$4 same header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:02
L26	0	L25 and @ad<"20000831" and @pd>"20110110"	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:02
L27	169	("layer 2" "data link") same authenticat\$4 same header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:02
L28	0	L27 and @ad<"20000831" and @pd>"20110110"	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:02
L29	34	frame same header with (modif\$6 chang\$4 replac \$4) with unique	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:02
L30	0	L29 and @ad<"20000831" and @pd>"20110110"	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:02
L31	39	frame same header with (modif\$6 chang\$4 replac \$4) with key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:02
L32	0	L31 and @ad<"20000831" and @pd>"20110110"	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:02
L33	370	frame same header with (modif\$6 chang\$4 replac \$4) with address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:02
L34	0	L33 and @ad<"20000831" and @pd>"20110110"	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:02

L35	2327	authenticat\$4 with mac adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:02
L36	0	L35 and @ad<"20000831" and @pd>"20110110"	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:02
L37	129	authenticat\$4 with mac adj address same header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:02
L38	0	L37 and @ad<"20000831" and @pd>"20110110"	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:02
L39	104	authenticat\$4 with source adj address same header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:02
L40	0	L39 and @ad<"20000831" and @pd>"20110110"	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:02
L41	598	authenticat\$4 with source adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:02
L42	0	L41 and @ad<"20000831" and @pd>"20110110"	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:02
L43	419	MAC adj address same layer adj ("2" two) with header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:02
L44	1	L43 and @ad<"20000831" and @pd>"20110110"	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:02
L45	489	MAC adj address with spoof\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:02
L46	0	L45 and @ad<"20000831" and @pd>"20110110"	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:02
L47	105	MAC adj address same layer adj ("2" two) with header and (modify\$4 chang\$4 alter\$4 spoof\$4) with (source destination mac) adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:02
L48	1	L47 and @ad<"20000831" and @pd>"20110110"	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:02

L49	229	("layer 2" "layer two" "data link") same header same VPN	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:02
L50	0	L49 and @ad<"20000831" and @pd>"20110110"	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:02
L51	72	("layer 2" "layer two" "L2") with MAC adj address same VPN	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:02
L52	0	L51 and @ad<"20000831" and @pd>"20110110"	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:02
L53	15	VPN same OUI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:02
L54	0	L53 and @ad<"20000831" and @pd>"20110110"	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:02
L55	66	OUI same authenticat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:02
L56	0	L55 and @ad<"20000831" and @pd>"20110110"	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:02
L57	494	Organization\$6 adj Unique adj Identifier	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:02
L58	0	L57 and @ad<"20000831" and @pd>"20110110"	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:02
L59	71	((Organization\$6 adj Unique adj Identifier) OUI) same authenticat\$4	US-PGPUB; USPAT; USOCR	OR	ON	2011/04/28 08:02
L60	0	L59 and @ad<"20000831" and @pd>"20110110"	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:02
L61	69	((Organization\$6 adj Unique adj Identifier) OUI) with replac\$4	US-PGPUB; USPAT; USOCR	OR	ON	2011/04/28 08:02
L62	0	L61 and @ad<"20000831" and @pd>"20110110"	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:02
L63	10728	(replac\$4 modify\$4 chang\$4 alter\$4 spoof\$4) with (source destination mac) adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:02

L64	661	L63 same ("data link" "layer 2" "layer two" "L2")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:02
L65	0	L64 and @ad<"20000831" and @pd>"20110110"	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:02
L66	9721	(authenticat\$4 compar\$4) with (source destination mac) adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:02
L67	322	L66 same ("data link" "layer 2" "layer two" "L2")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:02
L68	0	L67 and @ad<"20000831" and @pd>"20110110"	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:02
L69	602	(replac\$4 modify\$4 chang \$4 alter\$4 spoof\$4) with (source destination mac) adj address with (authenticat\$4 unique)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:02
L70	0	L69 and @ad<"20000831" and @pd>"20110110"	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:02
L71	78	unique near2 string with transaction	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:02
L72	0	L71 and @ad<"20000831" and @pd>"20110110"	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:02
L73	177	unique with transaction with (string ID identifier) same transaction adj type	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:02
L74	1	L73 and @ad<"20000831" and @pd>"20110110"	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:02
L75	233	unique with (string ID identifier) same transaction adj type	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:03
L76	1	L75 and @ad<"20000831" and @pd>"20110110"	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:03
L77	89	BAUM near ROBERT	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:03
L78	24	L2 and layer adj (two "2") with header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:03

L79	2456	726/3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:03
L80	0	L4 and @ad<"20000831" and @pd>"20101028"	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:03
L81	914	713/151.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:03
L82	0	L6 and @ad<"20000831" and @pd>"20101028"	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:03
L83	4081	713/168.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:03
L84	0	L8 and @ad<"20000831" and @pd>"20101028"	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:03
L85	100	705/73.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:03
L86	0	L10 and @ad<"20000831" and @pd>"20101028"	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:03
L87	18646	("layer 2" "data link") same frame header with address with (chag\$4 replac\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:03
L88	332	L12 same authentical\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:03
L89	0	L13 and @ad<"20000831" and @pd>"20101028"	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:03
L90	7	("layer 2" "data link") same frame same header with address with (chag\$4 replac\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:03
L91	0	L15 and @ad<"20000831" and @pd>"20101028"	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:03

L92	10	("layer 2" "data link") same frame same header with address same authenticat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:03
L93	0	L17 and @ad<"20000831" and @pd>"20101028"	US-PGPUB; USPAT; USOCCR	OR	OFF	2011/04/28 08:03
L94	74	("layer 2" "data link") and frame same header with address same authenticat \$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:03
L95	0	L19 and @ad<"20000831" and @pd>"20101028"	US-PGPUB; USPAT; USOCCR	OR	OFF	2011/04/28 08:03
L96	462	("layer 2" "data link") and frame same address same authenticat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:03
L97	0	L21 and @ad<"20000831" and @pd>"20101028"	US-PGPUB; USPAT; USOCCR	OR	OFF	2011/04/28 08:03
L98	23	("layer 2" "data link") and frame same header with (modif\$6 chang\$4 replac \$4) with unique	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:03
L99	0	L23 and @ad<"20000831" and @pd>"20101028"	US-PGPUB; USPAT; USOCCR	OR	OFF	2011/04/28 08:03
L100	0	L23 and @ad<"20000831" and @pd>"20100601"	US-PGPUB; USPAT; USOCCR	OR	OFF	2011/04/28 08:03
L101	53	("layer 2" "data link") with authenticat\$4 same header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:03
L102	0	L25 and @ad<"20000831" and @pd>"20101028"	US-PGPUB; USPAT; USOCCR	OR	OFF	2011/04/28 08:03
L103	169	("layer 2" "data link") same authenticat\$4 same header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:03
L104	0	L27 and @ad<"20000831" and @pd>"20101028"	US-PGPUB; USPAT; USOCCR	OR	OFF	2011/04/28 08:03
L105	34	frame same header with (modif\$6 chang\$4 replac \$4) with unique	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:03
L106	0	L29 and @ad<"20000831" and @pd>"20101028"	US-PGPUB; USPAT; USOCCR	OR	OFF	2011/04/28 08:03

L107	39	frame same header with (modif\$6 chang\$4 replac \$4) with key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:03
L108	0	L31 and @ad<"20000831" and @pd>"20101028"	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:03
L109	370	frame same header with (modif\$6 chang\$4 replac \$4) with address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:03
L110	0	L33 and @ad<"20000831" and @pd>"20101028"	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:03
L111	2327	authenticat\$4 with mac adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:03
L112	0	L35 and @ad<"20000831" and @pd>"20101028"	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:03
L113	129	authenticat\$4 with mac adj address same header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:03
L114	0	L37 and @ad<"20000831" and @pd>"20101028"	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:03
L115	104	authenticat\$4 with source adj address same header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:03
L116	0	L39 and @ad<"20000831" and @pd>"20101028"	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:03
L117	598	authenticat\$4 with source adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:03
L118	0	L41 and @ad<"20000831" and @pd>"20101028"	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:03
L119	419	MAC adj address same layer adj ("2" two) with header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:03
L120	1	L43 and @ad<"20000831" and @pd>"20101028"	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:03

L121	489	MAC adj address with spoof\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:03
L122	0	L45 and @ad<"20000831" and @pd>"20101028"	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:03
L123	105	MAC adj address same layer adj ("2" two) with header and (modify\$4 chang\$4 alter\$4 spoof\$4) with (source destination mac) adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:03
L124	1	L47 and @ad<"20000831" and @pd>"20101028"	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:03
L125	229	("layer 2" "layer two" "data link") same header same VPN	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:03
L126	0	L49 and @ad<"20000831" and @pd>"20101028"	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:03
L127	72	("layer 2" "layer two" "L2") with MAC adj address same VPN	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:03
L128	0	L51 and @ad<"20000831" and @pd>"20101028"	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:03
L129	15	VPN same OUI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:03
L130	0	L53 and @ad<"20000831" and @pd>"20101028"	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:03
L131	66	OUI same authenticat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:03
L132	0	L55 and @ad<"20000831" and @pd>"20101028"	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:03
L133	494	Organization\$6 adj Unique adj Identifier	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:03
L134	0	L57 and @ad<"20000831" and @pd>"20101028"	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:03
L135	71	((Organization\$6 adj Unique adj Identifier) OUI) same authenticat\$4	US-PGPUB; USPAT; USOCR	OR	ON	2011/04/28 08:03

L136	0	L59 and @ad<"20000831" and @pd>"20101028"	US-PGPUB; USPAT; USOCCR	OR	OFF	2011/04/28 08:03
L137	69	((Organization\$6 adj Unique adj Identifier) OUI) with replacS4	US-PGPUB; USPAT; USOCCR	OR	ON	2011/04/28 08:03
L138	0	L61 and @ad<"20000831" and @pd>"20101028"	US-PGPUB; USPAT; USOCCR	OR	OFF	2011/04/28 08:03
L139	10728	(replacS4 modify\$4 chang \$4 alter\$4 spoof\$4) with (source destination mac) adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:03
L140	661	L63 same ("data link" "layer 2" "layer two" "L2")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:03
L141	0	L64 and @ad<"20000831" and @pd>"20101028"	US-PGPUB; USPAT; USOCCR	OR	OFF	2011/04/28 08:03
L142	9721	(authenticat\$4 compar\$4) with (source destination mac) adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:03
L143	322	L66 same ("data link" "layer 2" "layer two" "L2")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:03
L144	0	L67 and @ad<"20000831" and @pd>"20101028"	US-PGPUB; USPAT; USOCCR	OR	OFF	2011/04/28 08:03
L145	602	(replacS4 modify\$4 chang \$4 alter\$4 spoof\$4) with (source destination mac) adj address with (authenticat\$4 unique)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/28 08:03
L146	0	L69 and @ad<"20000831" and @pd>"20101028"	US-PGPUB; USPAT; USOCCR	OR	OFF	2011/04/28 08:03
L147	78	unique near2 string with transaction	US-PGPUB; USPAT; USOCCR	OR	OFF	2011/04/28 08:03
L148	0	L71 and @ad<"20000831" and @pd>"20101028"	US-PGPUB; USPAT; USOCCR	OR	OFF	2011/04/28 08:03
L149	177	unique with transaction with (string ID identifier) same transaction adj type	US-PGPUB; USPAT; USOCCR	OR	OFF	2011/04/28 08:03
L150	1	L73 and @ad<"20000831" and @pd>"20101028"	US-PGPUB; USPAT; USOCCR	OR	OFF	2011/04/28 08:03
L151	233	unique with (string ID identifier) same transaction adj type	US-PGPUB; USPAT; USOCCR	OR	OFF	2011/04/28 08:03

L152	1	L75 and @ad<"20000831" and @pd>"20101028"	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/28 08:03
------	---	--	---------------------------	----	-----	---------------------

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L153	6	(replac\$4 with layer adj (two "2") with header). .clm.	USPAT; UPAD	OR	ON	2011/04/28 08:03
L154	4	(authenticat\$4 with layer adj (two "2") with header).clm.	USPAT; UPAD	OR	ON	2011/04/28 08:03
L155	3	(unique adj bit with layer adj (two "2") with header).clm.	USPAT; UPAD	OR	ON	2011/04/28 08:03
L156	0	(unique adj bit with transaction with layer adj (two "2")).clm.	USPAT; UPAD	OR	ON	2011/04/28 08:03
L157	6	(transaction with layer adj (two "2")).clm.	USPAT; UPAD	OR	ON	2011/04/28 08:03

4/28/11 8:12:47 AM

C:\Documents and Settings\mpyzocha1\My Documents\EAST\Workspaces\09910429-allow1.wsp